

#### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney John Dresch, Registration No. 46,672, on September 11, 2009.

2. The application has been amended as follows:

In the claims:

Claim 15, line 9: Delete "and" at the end of the line.

Claim 15, line 11: Delete the period (.) at the end of the line, and replace with --; and,--. Also, insert in a new line immediately following line 11, --a wall between the storage chamber and the evaporation chamber; a substantially cylindrical shell element formed with said wall; and, said air passage opening formed in said cylindrical shell element...--.

Claim 20, line 12: Delete "and" at the end of the line.

Claim 20, line 14: Delete "wherein said control body axis is formed by" and replace with –said control body axis being formed by--.

Cancel claim 25.

Claim 26, line 1: Delete "claim 25" and replace with --claim 15--.

Claim 27, line 1: Delete "claim 25" and replace with –claim 15--.

Cancel claim 33.

3. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: \*\*\*. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ljiljana (Lil) V. Cric whose telephone number is 571-272-4909. The examiner works a flexible schedule, but can normally be reached weekdays between 10:30 a.m. and 6:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J. Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ljiljana (Lil) V. Cric/

Primary Examiner, Art Unit 3744